

```
2020-03-23 11:44:10 FTP_CLIENT: FTP_CLIENT object created
2020-03-23 11:44:10 set_callback_rate_ms: FTP_CLIENT callback rate set
to 300 ms
2020-03-23 11:44:10 set_timeout: Set connect-, read- and idle-timeout
to 30000 ms
2020-03-23 11:44:10 set_timeout: Set connect-, read- and idle-timeout
to 30000 ms
2020-03-23 11:44:10 open: FTP_CLIENT::open - host set to
ftp.sportsrealm.net
2020-03-23 11:44:10 open: FTP_CLIENT::open - user set to
ftpfod@sportsrealm.net
2020-03-23 11:44:10 open: FTP_CLIENT::open - password set
2020-03-23 11:44:10 open: FTP_CLIENT::open - port set to 21
2020-03-23 11:44:10 set_passive_mode: set to passive mode
2020-03-23 11:44:10 open: Activate TLS 1.0 encrypted channel (Secure
FTP)
2020-03-23 11:44:11 open: Successfully opened connection to host
ftp.sportsrealm.net
2020-03-23 11:44:11 open: Server does not seem to support ModeZ
2020-03-23 11:44:11 open: Send buffer size is 131072 bytes
2020-03-23 11:44:11 cd: Successfully changed directory to /lgexports
2020-03-23 11:44:11 put: put - file size is 2565820 bytes
2020-03-23 11:44:11 put: Successfully started sending file
team_34.ootp
2020-03-23 11:44:12 put: ChilkatLog:
  AsyncPutFile:
    DllDate: Dec 21 2018
    ChilkatVersion: 9.5.0.76
    UnlockPrefix: 00TPDV.CB1122021
    Architecture: Little Endian; 64-bit
    Language: MAC OS X C/C++
    VerboseLogging: 0
    uploadFromLocalFile:
      localFileSize: 2565820
    uploadFromDataSource:
      initialGreeting: 220----- Welcome to Pure-FTPd [privsep]
[TLS] -----
220-You are user number 1 of 150 allowed.
220-Local time is now 09:44. Server port: 21.
220-IPv6 connections are also welcome on this server.
220 You will be disconnected after 15 minutes of inactivity.
  restartNext: 0
  modeZ: 0
  binaryMode: 1
  pbsz_protp:
    simpleCommand:
      sendCommand:
        sendingCommand: PROT P
      --sendCommand
    readCommandResponse:
```

```
        replyLineQP: 503 PROT must be preceded by a successful
PBSZ command
    --readCommandResponse
    --simpleCommand
    simpleCommand:
        sendCommand:
            sendingCommand: PROT C
        --sendCommand
        readCommandResponse:
            replyLineQP: 503 PROT must be preceded by a successful
PBSZ command
    --readCommandResponse
    --simpleCommand
    --pbsz_protp
    setupDataConnection:
        passive transfer mode
        setupPassiveDataSocket:
            sendCommand:
                sendingCommand: PASV
            --sendCommand
            readCommandResponse:
                replyLineQP: 227 Entering Passive Mode
(162,215,248,91,141,206)
            --readCommandResponse
            dataConnect:
                hostname: 162.215.248.91
                port: 36302
                socketOptions:
                    SO_SNDBUF: 263536
                    SO_RCVBUF: 131768
                    TCP_NODELAY: 0
                    SO_KEEPALIVE: 0
                --socketOptions
                dataConnectSuccess: 1
            --dataConnect
        --setupPassiveDataSocket
    --setupDataConnection
    sendUploadCommand:
        sendCommand:
            sendingCommand: STOR team_34.ootp
        --sendCommand
    --sendUploadCommand
    Reading intermediate response for upload...
    readCommandResponse:
        replyLineQP: 150 Accepted data connection
    --readCommandResponse
    sendUploadFileData:
        sendBufferSize: 131072
        Sending uncompressed...
        Error sending on socket (1)
```

```
socketErrno: 32
socketError: Broken pipe
send_size: 16800
Failed to send on socket from source.
lastBytesSent: 0000000000007A008A00000000000000
Failed to upload data.
UploadData: Elapsed time: 74 millisec
--sendUploadFileData
Reading final response...
readCommandResponse:
  Failed to read FTP control channel reply.
  readFtpReply: Socket connection closed.
--readCommandResponse
FinalReply: Elapsed time: 0 millisec
--uploadFromDataSource
Failed.
--uploadFromLocalFile
--AsyncPutFile
--ChilkatLog
2020-03-23 11:44:12 Close: Closed connection
2020-03-23 11:44:12 Close: Closed connection
2020-03-23 11:44:12 ~FTP_CLIENT: FTP_CLIENT object destroyed
2020-03-23 11:44:12 ~FTP_CLIENT:
Chilkat session log:
-----
```

```
220----- Welcome to Pure-FTPd [privsep] [TLS] -----
220-You are user number 1 of 150 allowed.
220-Local time is now 09:44. Server port: 21.
220-IPv6 connections are also welcome on this server.
220 You will be disconnected after 15 minutes of inactivity.
AUTH TLS
234 AUTH TLS OK.
PBSZ 0
200 PBSZ=0
PROT P
200 Data protection level set to "private"
USER ftpfod@sportsrealm.net
331 User ftpfod@sportsrealm.net OK. Password required
PASS ****
230 OK. Current restricted directory is /
TYPE I
200 TYPE is now 8-bit binary
SYST
215 UNIX Type: L8
FEAT
211-Extensions supported:
  EPRT
  IDLE
  MDTM
```

SIZE
MFMT
REST STREAM
MLST
type*;size*;sizd*;modify*;UNIX.mode*;UNIX.uid*;UNIX.gid*;unique*;
MLSD
AUTH TLS
PBSZ
PROT
UTF8
TVFS
ESTA
PASV
EPSV
SPSV
ESTP
211 End.
OPTS UTF8 ON
200 OK, UTF-8 enabled
CCC
200 Control connection unencrypted
MODE Z
504 Please use S(tream) mode
CWD /lgexports
250 OK. Current directory is /lgexports
PROT P
503 PROT must be preceded by a successful PBSZ command
PROT C
503 PROT must be preceded by a successful PBSZ command
PASV
227 Entering Passive Mode (162,215,248,91,141,206)
STOR team_34.ootp
150 Accepted data connection
Failed to send data, closing data connection.
2020-03-23 11:44:28 FTP_CLIENT: FTP_CLIENT object created
2020-03-23 11:44:28 set_callback_rate_ms: FTP_CLIENT callback rate set
to 300 ms
2020-03-23 11:44:28 set_timeout: Set connect-, read- and idle-timeout
to 30000 ms
2020-03-23 11:44:28 set_timeout: Set connect-, read- and idle-timeout
to 30000 ms
2020-03-23 11:44:28 open: FTP_CLIENT::open - host set to
ftp.sportsrealm.net
2020-03-23 11:44:28 open: FTP_CLIENT::open - user set to
ftpfod@sportsrealm.net
2020-03-23 11:44:28 open: FTP_CLIENT::open - password set
2020-03-23 11:44:28 open: FTP_CLIENT::open - port set to 21
2020-03-23 11:44:28 set_passive_mode: set to passive mode
2020-03-23 11:44:28 open: Activate TLS 1.0 encrypted channel (Secure
FTP)

```
2020-03-23 11:44:29 open: Successfully opened connection to host
ftp.sportsrealm.net
2020-03-23 11:44:29 open: Server does not seem to support ModeZ
2020-03-23 11:44:29 open: Send buffer size is 131072 bytes
2020-03-23 11:44:30 cd: Successfully changed directory to /lgexports
2020-03-23 11:44:30 get_remote_file_mod_time: Successfully received
remote lastmodtime: 20200321035813
2020-03-23 11:44:30 set_bin_mode: Set binary mode
2020-03-23 11:44:30 get: get - file size is 205458039 bytes
2020-03-23 11:44:30 get: Successfully started loading file fod.lg.zip
2020-03-23 11:45:02 get: ChilkatLog:
  AsyncGetFile:
    DllDate: Dec 21 2018
    ChilkatVersion: 9.5.0.76
    UnlockPrefix: 00TPDV.CB1122021
    Architecture: Little Endian; 64-bit
    Language: MAC OS X C/C++
    VerboseLogging: 0
    downloadToFile:
      localFilePath: /Users/chrismontemarano/Library/Containers/
com.ootpdevelopments.ootp21macqlm/Data/Library/Application Support/Out
of the Park Developments/00TP Baseball 21/saved_games/fod_starter.lg/
import_export/fod.lg.zip
      downloadToOutput2:
        modeZ: 0
        binaryMode: 1
        pbsz_protp:
          simpleCommand:
            sendCommand:
              sendingCommand: PROT P
            --sendCommand
          readCommandResponse:
            replyLineQP: 503 PROT must be preceded by a successful
PBSZ command
            --readCommandResponse
          --simpleCommand
          simpleCommand:
            sendCommand:
              sendingCommand: PROT C
            --sendCommand
          readCommandResponse:
            replyLineQP: 503 PROT must be preceded by a successful
PBSZ command
            --readCommandResponse
          --simpleCommand
        --pbsz_protp
      setupDataConnection:
        passive transfer mode
      setupPassiveDataSocket:
        sendCommand:
```

```
        sendingCommand: PASV
    --sendCommand
    readCommandResponse:
        replyLineQP: 227 Entering Passive Mode
(162,215,248,91,117,106)
    --readCommandResponse
    dataConnect:
        hostname: 162.215.248.91
        port: 30058
        socketOptions:
            SO_SNDBUF: 263536
            SO_RCVBUF: 131768
            TCP_NODELAY: 0
            SO_KEEPALIVE: 0
        --socketOptions
        dataConnectSuccess: 1
    --dataConnect
    --setupPassiveDataSocket
--setupDataConnection
sendCommand:
    sendingCommand: RETR fod.lg.zip
--sendCommand
readCommandResponse:
    replyLineQP: 150-Accepted data connection
    replyLineQP: 150 200642.6 kbytes to download
--readCommandResponse
downloadRate: 0
totalNumBytesReceived: 0
receiveTimeMs: Elapsed time: 31215 millisec
Timeout while receiving data to output.
readTimeoutMs: 30000
readCommandResponse:
    Failed to read FTP control channel reply.
    readFtpReply: Socket connection closed.
--readCommandResponse
No final status reply.
--downloadToOutput2
downloadToOutput: Elapsed time: 31626 millisec
--downloadToFile
Failed.
--AsyncGetFile
--ChilkatLog
2020-03-23 11:45:02 Close: Closed connection
2020-03-23 11:45:02 Close: Closed connection
2020-03-23 11:45:02 ~FTP_CLIENT: FTP_CLIENT object destroyed
2020-03-23 11:45:02 ~FTP_CLIENT:
Chilkat session log:
-----
```

```
220----- Welcome to Pure-FTPd [privsep] [TLS] -----
```

220-You are user number 1 of 150 allowed.
220-Local time is now 09:44. Server port: 21.
220-IPv6 connections are also welcome on this server.
220 You will be disconnected after 15 minutes of inactivity.
AUTH TLS
234 AUTH TLS OK.
PBSZ 0
200 PBSZ=0
PROT P
200 Data protection level set to "private"
USER ftpfod@sportsrealm.net
331 User ftpfod@sportsrealm.net OK. Password required
PASS ****
230 OK. Current restricted directory is /
TYPE I
200 TYPE is now 8-bit binary
SYST
215 UNIX Type: L8
FEAT
211-Extensions supported:
EPRT
IDLE
MDTM
SIZE
MFMT
REST STREAM
MLST
type*;size*;sizd*;modify*;UNIX.mode*;UNIX.uid*;UNIX.gid*;unique*;
MLSD
AUTH TLS
PBSZ
PROT
UTF8
TVFS
ESTA
PASV
EPSV
SPSV
ESTP
211 End.
OPTS UTF8 ON
200 OK, UTF-8 enabled
CCC
200 Control connection unencrypted
MODE Z
504 Please use S(tream) mode
CWD /lgexports
250 OK. Current directory is /lgexports
MDTM fod.lg.zip
213 20200321075813

TYPE I
200 TYPE is now 8-bit binary
SIZE fod.lg.zip
213 205458039
PROT P
503 PROT must be preceded by a successful PBSZ command
PROT C
503 PROT must be preceded by a successful PBSZ command
PASV
227 Entering Passive Mode (162,215,248,91,117,106)
RETR fod.lg.zip
150-Accepted data connection
150 200642.6 kbytes to download